

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Olmitz-----	35	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01
Vesser-----	33	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
Zook-----	25	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
23C2: Arispe-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
24D2: Shelby-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
41B: Sparta-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
51: Vesser-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
51B: Vesser-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
54: Zook-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
65D2: Lindley-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
65E: Lindley-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65E2: Lindley-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65F2: Lindley-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65G: Lindley-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
74: Rubio-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
75: Givin-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75B: Givin-----	90	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
76B: Ladoga-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
76C2: Ladoga-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
76D2: Ladoga-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
80B: Clinton-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
80C2: Clinton-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
80D2: Clinton-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
87B: Colo-----	68	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Zook-----	22	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
122: Sperry-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
130: Belinda-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
131B: Pershing-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
131B2: Pershing-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
131C2: Pershing-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
132B: Weller-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
132C: Weller-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
132C2: Weller-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
132D: Weller-----	90	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.95 0.63	Very limited Slope Shrink-swell	1.00 1.00
132D2: Weller-----	90	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.95 0.63	Very limited Slope Shrink-swell	1.00 1.00
139: Perks-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
179D2: Gara-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
179E2: Gara-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
180: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell	1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
180B: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
208: Klum-----	95	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.35	Very limited Flooding	1.00
211: Edina-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
220: Nodaway-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
222C: Clarinda-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.86
222C2: Clarinda-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.86
223C2: Rinda-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.86

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
260: Beckwith-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
263: Okaw-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
264B: Ainsworth-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01
273B: Olmitz-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01
279: Taintor-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
280: Mahaska-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50
280B: Mahaska-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
281B: Otley-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
281B2: Otley-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
281C: Otley-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
281C2: Otley-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
293C: Chelsea-----	65	Not limited		Not limited		Somewhat limited Slope	0.86
Fayette-----	25	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50
293F: Chelsea-----	65	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Fayette-----	25	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
313E2: Gosport-----	90	Very limited Slope	0.96	Very limited Depth to saturated zone Slope	1.00 0.96	Very limited Slope Depth to saturated zone	1.00 0.07
		Depth to saturated zone	0.07	Depth to soft bedrock	0.46		

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
313G: Gosport-----	90	Very limited Slope Depth to saturated zone	1.00 0.07	Very limited Slope Depth to saturated zone Depth to soft bedrock	1.00 1.00 0.46	Very limited Slope Depth to saturated zone	1.00 0.07
315: Nodaway-----	45	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
Klum-----	25	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.35	Very limited Flooding	1.00
Perks-----	20	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
362: Haig-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
363: Haig-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
364B: Grundy-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.07	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.07 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
364B2: Grundy-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.07	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.07 0.01
423D2: Bucknell-----	85	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
424D2: Lindley-----	45	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Keswick-----	40	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
424E2: Lindley-----	45	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
Keswick-----	40	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
425D: Keswick-----	90	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
425D2: Keswick-----	85	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Shrink-swell	1.00
		Depth to saturated zone	0.39	Shrink-swell	0.50	Depth to saturated zone	0.39
430: Ackmore-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Shrink-swell	0.50	Shrink-swell	1.00	Shrink-swell	0.50
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
453: Tuskeego-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
499G: Nordness-----	90	Very limited Depth to hard bedrock	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Shrink-swell	1.00	Depth to hard bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
520: Coppock-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
520B: Coppock-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	0.95	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50	Slope	0.01
570C2: Nira-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope	0.86
				Depth to saturated zone	0.15	Shrink-swell	0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
571C2: Hedrick-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
572C2: Inton-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
572D2: Inton-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
587: Chequest-----	85	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
594D2: Galland-----	85	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
729: Nodaway-----	55	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
Coppock-----	40	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
730B: Nodaway-----	40	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell Slope	1.00 0.50 0.01
Coppock-----	35	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell Depth to saturated zone Slope	0.50 0.39 0.01
Cantril-----	20	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
779: Kalona-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
792C2: Armstrong-----	85	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
792D2: Armstrong-----	85	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
795C2: Ashgrove-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.86

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
795D2: Ashgrove-----	85	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
822D2: Lamoni-----	95	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.39
831B: Pershing-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
831C2: Pershing-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
832B: Weller-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
832C2: Weller-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
832D2: Weller-----	85	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.95 0.63	Very limited Slope Shrink-swell	1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
876B: Ladoga-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
876C2: Ladoga-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
880B: Clinton-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
880C2: Clinton-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
880D2: Clinton-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
977: Richwood-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
993D2: Gara-----	45	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Armstrong-----	40	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
993E2: Gara-----	45	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
Armstrong-----	40	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
994D2: Galland-----	65	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
Douds-----	20	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
994E2: Galland-----	50	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
Douds-----	35	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
1075B: Givin-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1130: Belinda-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
1260: Beckwith-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
1715: Nodaway-----	40	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
Vesser-----	35	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Ackmore-----	20	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
5020: Pits And Dumps-----	100	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quar	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	